# suttontools ADAPTORS & ATTACHMENTS

• Extension Shanks • Adaptors • Chucks • Attachments

# **ADAPTORS & ATTACHMENTS**

#### Adaptors & Attachments Index

- **100 Adaptors** 1/2" Socket to 1/4" Hex
- **99 Adaptors** 1/4" to 7/16" Hex
- **99 Adaptors** Garden Auger M14
- **101** Adaptors Quickbits<sup>®</sup> Socket
- 105 Attachments Quickbits® Nibbler
- 104 Attachments Quickbits<sup>®</sup> Quick-Cut, Shear
- **103 Attachments** Quickbits<sup>®</sup> Right Angle
- **106 Attachments** Quickbits<sup>®</sup> Rivet

- **102 Chuck** 4 Way Key
- **102 Chuck** Keyless Drill, SDS Plus Adaptor
- 102 Chuck Quickbits<sup>®</sup> Mini
- 98 Extension Shanks
- **100 Extension Shanks** Quickbits<sup>®</sup>

### **Extension Shanks**

# suttontools

1

Sutton Tools Quick Change Extension Shanks are available in 1/4" and 7/16" hex. These extension shanks are inter-mate-able providing extra long reach.

**1/4" Hex Shank** Suits impact drivers and

quick change adaptors

E

#### **1/4" Hex Opening** Suits 1/4" hex power bits


**Spring-loaded sleeve** Prevents accidental release

Discount Group: A0424

				Discoulit droup. A0424
Size	e Shank Inch	Length mm	ltem #	Barcode
				D516
1/4	1/4	65	D516 00	65 9311963607092
1/4	• 1/4	150	D516 01	50 9311963607108
1/4	• 1/4	300	D516 03	00 9311963607115
1/4	• 1/4	450	D516 04	50 9311963607122
1/4	• 1/4	600	D516 06	00 9311963607139
1/4	• 1/4	900	D516 09	00 9311963607146



with the second se			Discount Group: A042
Size	Shank Inch	Length mm	Item # Barcode
			D517
7/16	7/16	150	D517 0150 9311963607160
7/16	7/16	300	D517 0300 9311963607177
7/16	7/16	450	D517 0450 9311963607184
7/16	7/16	600	D517 0600 9311963607191



## Adaptors Garden Auger M14



7/16" Hex Shank

Suits 7/16" hex shank bits including

# suttontools

Adapts M14 shanks on stirrers, for use with 7/16" hex quick change accessories such as the Sutton Tools D520 series Garden Augers.



Beschption	meaa	inch	mm	
				D522
Garden Auger Adaptor M14	M14 x 2	7/16	75	D522 0075 9311963634449

### Extension Shanks Quickbits®



Adaptors and extension bars fit all 1/4" bits. Extension bars are inter-mate-able providing extra long reach.

1/1



				Discount Gro	up: A0424
Size	Shank Inch	Length mm	ltem #	Barcode	
Extension Bars					
1/4	1/4	150	107QBE150	9311744437948	
1/4	1/4	300	107QBE300	9311744437955	
1/4	1/4	450	107QBE450	9311744437962	
1/4	1/4	600	107QBE600	9311744437979	
1/4	1/4	900	107QBE900	9311744437986	
Adaptor					
1/4	1/4	65	107BADAPT	9311744026388	
					_

107QBE600

## Adaptors 1/2" Socket to 1/4" Hex



Transform your power impact wrench into a drill or your ratcheting wrench into a driver.



\*New look packaging depicted. Actual product packaging may differ from image shown.

## Adaptors Quickbits® - Socket



For use with 1/4, 3/8 or 1/2" square drive sockets. The 'wobble' square drive gives additional access in confined areas with 15° angle rotation.



Discount Group: A0424

Wobble Square Drive

Size	Shank Inch	Length mm	Pieces	Item #	Barcode
1/4	1/4	65	1	107PAW064	9311744437825
3/8	1/4	65	1	107PAW095	9311744437832
1/2	1/4	70	1	107PAW127	9311744437849
Sets					
1/4, 3/8, 1/2	1/4	65	3	150PASET3	9311744436118
1/4, 3/8, 1/2	1/4	150	3	107WHE150	* 9311744441969
1/4, 3/8, 1/2	1/4	300	3	107WHE300	* 9311744441976



107WHE150\*



107WHE300\*



# Chuck Quickbits<sup>®</sup> - Mini

# 

Extends the capacity of your power drill, allowing smaller drill sizes – down to 0.5mm.



Description	Range	Shank Inch	Item # Barcode
Keyless Mini Chuck	0.5-6mm	1/4	107CMQ001 9311744437511



#### www.suttontools.com

**Discount Group: A0424** 



**Discount Group: A0424** 

<u>Section</u> Index

Description	Contents	Shank Inch	ltem #	Barcode
5 Pce Right Angle Drill Attachment with Swivel Handle	Right Angle Attachment 25mm Screwdriver Bits: PH2, Hex5 50mm Screwdriver Bits: PH2, R2	1/4	107RAD001	9311744439058
5 Pce Flexible Mini Right Angle Drill Attachment	1/4" Flexible Mini Right Angle Driver Attachment Screwdriver Bits: PH2 x25, PH2 x50, R2 x50, Hex 5 x50	1/4	107ADF300	9311744441983
Mini Angle Driver Set	1× Mini Angle Driver 6×25mm insert bits: 3×PH2, 1×SL5, 1×H5, 1×R2	1/4	107RAD370	9311744445707



107RAD001






107RAD370




Discount Group: Z1007

Description	Shank Inch	ltem #	Barcode	Price
Quick-Cut Heavy Duty Shear Attachment	1/4	M8130002	9311744445646	
Replacement Blades for Heavy Duty Shear		M8130010	9311963615141	




Use clamp attachment when you need to support workpiece with other hand while operating



Use handle attachment when workpiece can be secured

#### How to replace blades


1 - Undo Nuts and Blade screw



2 - Undo Bolts



3 - Align moving blade with Eccentric Drive



4 - Align fixed blade with locating pins





M8130002




M8130010




#### **Discount Group: Z1007**

Description	Shank Inch	ltem #	Barcode	Price
Nibbler Attachment	1/4	107NIB001	9311963622323	
Nibbler Replacement Punch		107NIB002	9311963623344	
Nibbler Replacement Die		107NIB003	9311744446988	



Fast and clean, straight or curve cutting



Cuts across corrugated metal sheets

#### **Helpful Hints**

- Pre-drill a 12mm hole before starting
- Attach the Nibbler Attachment to a drill and tighten the chuck
- Set drill to the recommended speed between 1500-3000RPM
- Secure the workpiece with at least a 15mm clearance underneath the area of material to be cut
- Carefully move the nibbler attachment towards the starting point of the desired cut and engage nibbler head with the material, start to cut into the material
- Continue cutting through the material while keeping the nibbler attachment at a right angle to the material






107NIB002


107NIB003

www.suttontools.com




#### **Discount Group: A0424**

Description	Contents	Shank Inch	ltem #	Barcode
Rivet Attachment	1× Rivet Attachment (1/4" Hex shank) 4× Rivet inserts: 2.4mm (3/32"), 3.2mm (1/8"), 4.0mm (5/32"), 4.8mm (3/16") 1× Wrench 1× Adjustable clamp 1× Support handle	1/4	107PTS600	9311744445714



Use clamp attachment when you need to support use handle attachment for two handled operation or when workpiece can be sec



operation or when workpiece can be secured



107PTS600