



Screwdriver
Catalogue
2020

EFFECTIVE 1ST FEBRUARY 2020



Tools
That
Work

Proudly Distributed by:

suttontools
world class cutting tools



Bondhus Professional Quality Tools Provide Superior Value

Time is money, and the real cost of using an inferior tool is realized when something goes wrong. As anyone who works with mechanical devices knows, bad things occasionally happen. Stripped screw heads are one of those bad things that can happen. A screw with a stripped head can no longer be removed with a screwdriver. If it is in a difficult to reach location, where a clamping device cannot grip it, the task becomes particularly difficult.

The cost of a high quality screwdriver is negligible compared to the cost of removing a stripped screw. Will it take a few hours? What is the real cost of an inexpensive, poor performing screwdriver?

Bondhus quality screwdrivers are made from the finest steels and plastics in our German manufacturing plant, where screwdrivers have been produced for more than 50 years. The purpose of a high quality screwdriver is to provide a faster, easier, less costly means of performing a task. Bondhus strives to provide not just "good" tools, but the strongest tools available anywhere. Customer satisfaction is what we strive for every day.



Bondhus manufactures the highest quality screwdrivers available, and every tool is backed by an unconditional lifetime warranty.

"All Bondhus products are guaranteed for life. If you are not satisfied with a Bondhus tool for any reason simply return it. A replacement will be shipped right out at no cost, no hassles, no questions asked."

A warranty is only as good as the company standing behind it. Bondhus has been the leading innovator in the hand tool industry for over 50 years.

Index Product Item

Item #	Pg
BDS02300	11
BDS02305	11
BDS02310	11
BDS02320	11
BDS02325	11
BDS02330	11
BDS02335	11
BDS02500	11
BDS02505	11
BDS02515	11
BDS02520	11
BDS04370	12
BDS04375	12
BDS04380	12
BDS12005	5
BDS12007	5

Item #	Pg
BDS12008	5
BDS12013	5
BDS12014	5
BDS12031	5
BDS12032	5
BDS12037	5
BDS12041	5
BDS12044	5
BDS12082	4
BDS12083	4
BDS12084	4
BDS12086	4
BDS12087	4
BDS12088	4
BDS12089	4
BDS12090	4

Item #	Pg
BDS12100	4
BDS12101	4
BDS12102	4
BDS12147	6
BDS12148	6
BDS12150	6
BDS12201	6
BDS12212	7
BDS12285	7
BDS12286	7
BDS12289	7
BDS12401	8
BDS12402	8
BDS12404	8
BDS12406	8
BDS12408	8

Item #	Pg
BDS12420	8
BDS12421	8
BDS12422	8
BDS12423	8
BDS12430	9
BDS12431	9
BDS12432	9
BDS12433	9
BDS12440	9
BDS12441	9
BDS12450	10
BDS12451	10
BDS12454	10
BDS12455	10

Series 2000 - ComfortGrip™ Screwdrivers

Features outstanding comfort and grip in a 2-component ergonomic design. The hex shaped handle design provides the best possible contact between the handle and the users hand, while delivering outstanding comfort and torque.



Index Product Item #	2
Series 2000 ComfortGrip™ Phillips	4
Series 2000 ComfortGrip™ Stubby	4
Series 2000 ComfortGrip™ Slotted - Electrician Tip.....	5
Series 2000 ComfortGrip™ Slotted - Engineer's Tip.....	5
Series 2000 ComfortGrip™ Torx®	6
Series 2000 ComfortGrip™ Sets	10

Series 2000 VDE Insulated - ComfortGrip™ Screwdrivers

Rated for use to 1,000V, tested at 10,000V and with all the benefits from Series 2000 Range of Screwdrivers. The professional choice for electricians



To bear the VDE (Verband der Elektrotechnik) Certification Mark, tools are put through very rigorous testing to ensure that the quality, construction, safety and even ergonomics meet with protective requirements of the applicable EC Directive



Series 2000 VDE Insulated ComfortGrip™ Phillips.....	7
Series 2000 VDE Insulated ComfortGrip™ Slotted	7
Series 2000 VDE Insulated ComfortGrip™ Pozidriv.....	8
Series 2000 VDE Insulated ComfortGrip™ Terminal.....	8
Series 2000 VDE Insulated Voltage Tester	9
Series 2000 VDE Insulated Voltage Tester	9
Series 2000 VDE Insulated ComfortGrip™ Sets.....	10

Series 4000 - PrecisionGrip™ Screwdrivers

Manufactured to the exacting standards required by applications where precision is critical. The ergonomic handle shape allows for either full-hand or finger tip control with reduced effort.



Series 4000 PrecisionGrip™ Sets	11
--	----

Series 2000 ComfortGrip™ Phillips




Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Chrome-plated for corrosion resistance
 Precision tip fits screw head exactly



Precision Tips
For exact fitment

Anti-roll design



Printed Blade Tip Symbol
For easy selection



Cross hole
Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
PH0	3.5	60	100	26	BDS12082	4016758120828
PH1	5.0	80	105	30	BDS12083	4016758120835
PH1	5.0	150	105	30	BDS12084	4016758120842
PH1	5.0	300	105	30	BDS12086	4016758120866
PH2	6.0	100	110	34	BDS12087	4016758120873
PH2	6.0	200	110	34	BDS12088	4016758120880
PH2	6.0	300	110	34	BDS12089	4016758120897
PH3	8.0	150	115	36	BDS12090	4016758120903

Series 2000 ComfortGrip™ Stubby



Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Chrome-plated for corrosion resistance
 Precision tip fits screw head exactly



Precision Tips
For exact fitment

Anti-roll design




Discount Group: Z1502

Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
PH1	5.0	30	50	30	BDS12285	4016758122853
SL5	5.0	30	50	30	BDS12289	4016758122891


Series 2000 ComfortGrip™ Slotted - Electrician Tip



Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Chrome-plated for corrosion resistance
 Precision tip fits screw head exactly



Precision Tips
 Designed for tight electrical work



Anti-roll design



Printed Blade Tip Symbol
 For easy selection



Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
SL3	0.5	3.0	75	100	26	BDS12005	4016758120057
SL3.5	0.6	3.5	100	100	26	BDS12007	4016758120071
SL4	0.8	4.0	100	105	30	BDS12008	4016758120088
SL5	1.0	5.0	200	105	30	BDS12013	4016758120132
SL5.5	1.0	5.5	150	110	34	BDS12014	4016758120149


Series 2000 ComfortGrip™ Slotted - Engineer's Tip



Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Chrome-plated for corrosion resistance
 Precision tip fits screw head exactly



Precision Tips
 Flared tip for larger screws



Anti-roll design



Printed Blade Tip Symbol
 For easy selection



Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
SL5	1.0	5.0	75	105	30	BDS12031	4016758120316
SL5.5	1.0	5.0	125	105	30	BDS12032	4016758120323
SL6.5	1.2	6.0	150	110	34	BDS12037	4016758120378
SL8	1.6	7.0	175	115	36	BDS12041	4016758120415
SL10	1.6	8.0	200	115	36	BDS12044	4016758120446

Series 2000 ComfortGrip™ Torx®



Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Chrome-plated for corrosion resistance
 Precision tip fits screw head exactly



Printed Blade Tip Symbol
 For easy selection



Precision Tips
 For exact fitment

Anti-roll design




Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
T10	4.0	80	100	26	BDS12147	4016758121474
T15	4.0	80	100	26	BDS12148	4016758121481
T25	5.0	100	105	30	BDS12150	4016758121504



Series 2000 VDE Insulated ComfortGrip™ Phillips



Rated for use to 1,000V, tested at 10,000V
 Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Precision tip fits screw head exactly





Printed Blade Tip Symbol
 For easy selection



Precision Tips
 For exact fitment

Anti-roll design



Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
PH0	3.5	60	100	26	BDS12420	4016758124208
PH1	5.0	80	105	30	BDS12421	4016758124215
PH2	6.0	100	110	34	BDS12422	4016758124222
PH3	8.0	150	115	36	BDS12423	4016758124239

Series 2000 VDE Insulated ComfortGrip™ Slotted



Rated for use to 1,000V, tested at 10,000V
 Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Precision tip fits screw head exactly





Printed Blade Tip Symbol
 For easy selection




Precision Tips
 For exact fitment

Anti-roll design



Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
SL3	0.5	3.0	100	100	26	BDS12401	4016758124017
SL3.5	0.6	3.5	100	100	26	BDS12402	4016758124024
SL4.5	0.8	4.5	125	105	30	BDS12404	4016758124048
SL6	1.0	6.0	150	110	34	BDS12406	4016758124062
SL8	1.6	8.0	175	115	36	BDS12408	4016758124086

Series 2000 VDE Insulated ComfortGrip™ Pozidriv





Rated for use to 1,000V, tested at 10,000V
 Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Precision tip fits screw head exactly



Printed Blade Tip Symbol
 For easy selection



Precision Tips
 For exact fitment



Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
PZ0	3.5	60	100	26	BDS12430	4016758124307
PZ1	5.0	80	105	30	BDS12431	4016758124314
PZ2	6.0	100	110	34	BDS12432	4016758124321
PZ3	8.0	150	115	36	BDS12433	4016758124338

Series 2000 VDE Insulated ComfortGrip™ Terminal





Rated for use to 1,000V, tested at 10,000V
 Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Precision tip fits screw head exactly



Printed Blade Tip Symbol
 For easy selection



Precision Tips
 For exact fitment



Cross hole
 Can be used as a lever for higher torque turning



Discount Group: Z1502

Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
+/-Z1	5.0	80	105	30	BDS12440	4016758124406
+/-Z2	6.0	100	110	34	BDS12441	4016758124413


Series 2000 VDE Insulated Voltage Tester



Rated for use to 120–250V, full working range is 90–500V
 Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Precision tip fits screw head exactly



Precision Tips
For exact fitment



Discount Group: Z1502

Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
SL3	0.5	3.0	60	78	14	BDS12450	4016758124505
SL3.5	0.6	3.5	100	98	20	BDS12451	4016758124512


Series 2000 VDE Insulated Voltage Tester



Rated for use to 120–250V, full working range is 90–500V
 Chrome-vanadium-molybdenum blades for hardness and high torque applications
 Precision tip fits screw head exactly



Precision Tips
For exact fitment



Discount Group: Z1502

Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	Item #	Barcode
SL3	0.5	3.0	60	90	20	BDS12454	4016758124543
SL3.5	0.6	3.5	100	90	20	BDS12455	4016758124550

Series 2000 ComfortGrip™ Sets



BDS02300

BDS02305

BDS02310

BDS02320

BDS02325

BDS02330

BDS02335

Discount Group: Z1502

Contents	Item #	Barcode
5Pce Set: Phillips PH1 × 80, PH2 × 100, Slotted SL4 × 100, SL5.5 × 125, SL6.5 × 150	BDS02300	4016758023006
5Pce Set: Phillips PH1 × 80, PH2 × 100, Slotted SL4.5 × 125, SL5.5 × 125, SL7 × 125	BDS02305	4016758023051
6Pce Set: Phillips PH1 × 80, PH2 × 100, Slotted SL3.5 × 100, SL4 × 100, SL5.5 × 125, SL6.5 × 150	BDS02310	4016758023105
3Pce Set: Phillips PH2 × 100, Slotted SL5.5 × 125, SL6.5 × 150	BDS 02320	4016758023204
3Pce Set: Phillips PH0 × 60, PH1 × 80, PH2 × 100	BDS02325	4016758023259
7Pce Set: Torx T6 × 80, T8 × 80, T10 × 80, T15 × 80, T20 × 100, T25 × 100, T30 × 125	BDS02330	4016758023303
3Pce Set: Torx T10 × 80, T15 × 80, T20 × 100	BDS02335	4016758023358

Series 2000 VDE Insulated ComfortGrip™ Sets



BDS02500

BDS02505

BDS02515

BDS02520



BDS02405

Discount Group: Z1502

Contents	Item #	Barcode
6Pce Set: Phillips PH1 × 80, PH2 × 100, Slotted SL2.5 × 75, SL4 × 100, SL5.5 × 125, SL6.5 × 150	BDS02500	4016758025000
6Pce Set: Phillips PH1 × 80, PH2 × 100, Slotted SL2.5 × 75, SL4 × 100, SL5.5 × 125, Voltage Tester	BDS02505	4016758025055
7Pce Set: Phillips PH1 × 80, PH2 × 100, Pozidriv PZ1 × 80, PZ2 × 100, Slotted SL2.5 × 75, SL4 × 100, SL5.5 × 125	BDS02515	4016758025154
3Pce Set: Phillips PH1 × 80, Slotted SL2.5 × 75, SL4 × 100	BDS02520	4016758025208
5Pce Set: Phillips PH0×60mm, PH1×80mm, PH2×100mm Slotted SL3.5×100mm, SL4.5×125mm	BDS02405	4016758024058

Series 4000 PrecisionGrip™ Sets



Discount Group: Z1502

Contents	Item #	Barcode
6Pce Set: Phillips PH00× 60, PH0 × 60, PH1 × 80, Slotted SL1.5 × 60, SL2 × 60, SL3 × 75	BDS04370	4016758043707
6Pce Set: Phillips PH00× 60, PH0 × 60, Pozidriv PZ0 × 60, PZ1 × 80, Slotted SL1.5 × 60, SL2 × 60	BDS04375	4016758043752
6Pce Set: Torx T3 × 60, T4 × 60, T5 × 60, T6 × 80, T8 × 80, T10 × 80	BDS04380	4016758043806



Proudly Distributed by:

suttontools
world class cutting tools

Sutton Tools Pty Ltd ABN 12 004 175 731

Australia (Head Office)

378 Settlement Road, Thomastown 3074, Victoria Australia
T +61 3 9280 0800 F +61 3 9464 0015

Customer Service

378 Settlement Road, Thomastown 3074, Victoria Australia
T 1800 335 350 F 1800 333 127 E cservice@sutton.com.au

Global Offices

Australasia Australia (Head Office) • New Zealand
Europe France • The Netherlands

www.suttontools.com



499980519_0220

