



***sutton**tools*

HEX KEYS

- L Wrenches ▪ GorillaGrip® Fold Up Sets ▪ T Handles
- Screwdrivers ▪ Wing & Flag ▪ Socket Bits ▪ Power Bits



Proudly Distributed by: **suttontools**
world class cutting tools



For the past 50 years, Bondhus has established itself within the market as the premium hex key manufacturer for both quality and innovation. The development of Protanium™ Steel, ProGuard™ Dry Surface Technology, along with continual product development such as the patented ProHold™ product proves Bondhus' leadership in the hex key market.

Bondhus excels in the market by offering not only the best quality product, but also the widest range in both handle and tip configurations. The level of confidence in the quality of all products is reinforced with a full lifetime warranty.



Proanium™ Steel is a proprietary blend of steel that provides at least 18% more torque. This provides a longer wearing steel that resists breaking and shattering.



ProGuard™ Dry Surface Technology provides 5X more protection against rust or corrosion.

HEX KEYS

Bondhus Hex Keys Index

- | | | | |
|-----|---|-----|--|
| 254 | GorillaGrip® Fold Up Sets | 253 | Multi-Packs L-Wrenches & GorillaGrip® Fold Up |
| 254 | GorillaGrip® Fold Up Utility & Multi-Packs | 260 | Power Bits Ball End |
| 259 | Hex Pro TORX® & Hex Tip | 258 | Screwdrivers Ball End |
| 248 | L-Wrenches Ball End | 258 | Screwdrivers TORX® Tamper Resistant |
| 249 | L-Wrenches ColorGuard™ Ball End | 260 | Socket Bits Hex End |
| 251 | L-Wrenches Hex End | 255 | T-Handles Ball End |
| 249 | L-Wrenches ProHold® Tip Ball End | 256 | T-Handles Hex End |
| 250 | L-Wrenches Stubby Ball End | 257 | T-Handles ProHold® TORX® |
| 250 | L-Wrenches Stubby Double Ball End | 257 | T-Handles TORX® |
| 252 | L-Wrenches TORX® | 259 | Wing & Flag Tool TORX® |
| 252 | L-Wrenches TORX® Tamper Resistant | | |

L-Wrenches Ball End




Ball End inserts into a screw at a 25° angle.
Ball End saves time by quickly funnelling tool into screw.
25° angle allows natural hand and wrist movement.
Superior Ball End strength and working angle.
Works in hard to reach places.



BD10999


BD10938



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

Chamfered Hex Tip
For faster insertion and
full tool engagement in
the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
Metric (Tagged)					
1.27	72	13	1	BD15749	037231157494
1.5	77	14	1	BD15750	037231157500
2.0	82	16	1	BD15752	037231157524
2.5	88	17	1	BD15754	037231157548
3.0	98	19	1	BD15756	037231157562
3.5	100	21	1	BD15758	037231157586
4.0	110	22	1	BD15760	037231157609
4.5	114	25	1	BD15762	037231157623
5.0	119	27	1	BD15764	037231157647
5.5	124	29	1	BD15766	037231157661
6.0	139	31	1	BD15768	037231157685
7.0	140	33	1	BD15770	037231157708
8.0	152	35	1	BD15772	037231157722
9.0	159	37	1	BD15774	037231157746
10.0	171	39	1	BD15776	037231157760
12.0	220	44	1	BD15780	037231157807
14.0	260	55	1	BD15784	037231157845
17.0	280	61	1	BD15786	037231157869
19.0	295	69	1	BD15788	037231157883

Metric Sets					
6 Pce Set: 1.5, 2, 2.5, 3, 4, 5mm		6	BD10946	037231109462	
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm		9	BD10999	037231109998	
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm + Screw Grab Friction Drops 15ml		9	BD14199	037231141998	
9 Pce Set (Extra Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm		9	BD16099	037231160999	
15 Pce Set: 1.27, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm		15	BD10995	037231109950	

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
Imperial (Tagged)					
.050"	72	13	1	BD15702	037231157029
1/16"	76	14	1	BD15703	037231157036
5/64"	81	15	1	BD15704	037231157043
3/32"	86	16	1	BD15705	037231157050
7/64"	90	18	1	BD15706	037231157067
1/8"	95	19	1	BD15707	037231157074
9/64"	101	20	1	BD15708	037231157081
5/32"	107	21	1	BD15709	037231157098
3/16"	114	24	1	BD15710	037231157104
7/32"	124	26	1	BD15711	037231157111
1/4"	141	29	1	BD15712	037231157128
5/16"	152	32	1	BD15713	037231157135
3/8"	171	35	1	BD15714	037231157142
7/16"	191	38	1	BD15715	037231157159
1/2"	210	41	1	BD15716	037231157166
9/16"	229	44	1	BD15717	037231157173
5/8"	248	48	1	BD15718	037231157180
3/4"	286	54	1	BD15719	037231157197

Imperial Sets					
8 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"		8	BD10932	037231109325	
7 Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"		7	BD10945	037231109455	
10 Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"		10	BD10938	037231109387	
13 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"		13	BD10937	037231109370	
13 Pce Set (Extra Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"		13	BD16037	037231160371	



BD14199

L-Wrenches ColorGuard™ Ball End




Color-coded tools can be distinguished at a glance.
Superior rust protection finish.
Sizes are stamped on the tool.
Ball End inserts into screw at a 25° angle.




BD69499

BD69637



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Color-coded and superior
rust protection finish

Chamfered Hex Tip
For faster insertion and
full tool engagement in
the screw head

Discount Group: Z1501

Size	Pieces	Item #	Barcode
Metric Set			
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD69499	037231694999
Combo Set			
22 Pce Set: 9 Pce Metric & 13 Pce Imperial	22	BD69600	037231696009

Size	Pieces	Item #	Barcode
Imperial Set			
13 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	13	BD69637	037231696375

L-Wrenches ProHold® Tip Ball End




Non-magnetic button holds screw tight on the tool every time.
Super smooth rotational action.
Tool strength is not compromised by the Prohold® button.




BD74992

BD74937



ProHold® Tips
Holds screw tight on
the tool every time



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

Chamfered Hex Tip
For faster insertion and
full tool engagement in
the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
Metric (Tagged)					
1.27	72	13	1	BD75749	037231757496
1.5	77	14	1	BD75750	037231757502
2.0	82	16	1	BD75752	037231757526
2.5	88	17	1	BD75754	037231757540
3.0	98	19	1	BD75756	037231757564
4.0	110	22	1	BD75760	037231757601
5.0	119	27	1	BD75764	037231757649
6.0	139	31	1	BD75768	037231757687
8.0	152	35	1	BD75772	037231757724
10.0	171	39	1	BD75776	037231757762
Metric Sets					
7 Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6mm				7	BD74992 037231749927
9 Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm				9	BD74999 037231749996

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
Imperial (Tagged)					
1/16"	76	14	1	BD75703	037231757038
5/64"	81	15	1	BD75704	037231757045
3/32"	86	16	1	BD75705	037231757052
1/8"	95	19	1	BD75707	037231757076
9/64"	101	20	1	BD75708	037231757083
5/32"	107	21	1	BD75709	037231757090
3/16"	114	24	1	BD75710	037231757106
7/32"	124	26	1	BD75711	037231757113
1/4"	141	29	1	BD75712	037231757120
5/16"	152	32	1	BD75713	037231757137
3/8"	171	35	1	BD75714	037231757144
Imperial Sets					
10 Pce Set (Long): 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"				10	BD74938 037231749385
13 Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"				13	BD74937 037231749378


L-Wrenches Stubby Ball End



Fits into tight spaces standard hex keys cannot. Eliminates the need to trim and file the short arm. Tighter inside radius means full smooth entry into screw head. Chamfered short arm eliminates burrs. Ball End inserts into a screw at a 25° angle.



BD16599 BD16538



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel

Stubby Arm
Fits into tight spaces
where standard hex
keys cannot



Environmentally
safe finish for
better corrosion
resistance and grip

Size	Pieces	Item #	Barcode
Metric Set			
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD16599	037231165994

Size	Pieces	Item #	Barcode
Imperial Set			
10 Pce Set: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	10	BD16538	037231165383

Discount Group: Z1501


L-Wrenches Stubby Double Ball End



Fits into tight spaces standard hex keys cannot. Extra long length provides for greater torque. Inserts into screw and works at a 15° angle. Standard Bondhus ball end on long arm inserts into screw and works at a 25° angle.



BD67099 BD67037



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel

Stubby Arm
Fits into tight spaces
where standard hex
keys cannot



Environmentally
safe finish for
better corrosion
resistance and grip

Size	Pieces	Item #	Barcode
Metric Set			
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm	9	BD67099	037231670993

Size	Pieces	Item #	Barcode
Imperial Set			
13 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	13	BD67037	037231670375

Discount Group: Z1501


L-Wrenches Hex End



Chamfered tool tips eliminate burrs and help tools seat in screw head.
Sharp corners transfer more torque to the screw and reduce stripping.
Precision machined for ease of use and superior fit.



BD12199



Hex End Tips
Precision machined
for superior fit

BD12137



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

Chamfered Hex Tip
For faster insertion and
full tool engagement in
the screw head

Discount Group: Z1501

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
Metric (Long) (Tagged)					
1.5	77	14	1	BD15950	037231159504
2.0	82	16	1	BD15952	037231159528
2.5	88	17	1	BD15954	037231159542
3.0	98	19	1	BD15956	037231159566
4.0	110	22	1	BD15960	037231159603
4.5	114	25	1	BD15962	037231159627
5.0	119	27	1	BD15964	037231159641
6.0	139	21	1	BD15968	037231159689
8.0	152	35	1	BD15972	037231159726
9.0	159	27	1	BD15974	037231159740
10.0	171	39	1	BD15976	037231159764
12.0	220	44	1	BD15980	037231159801
14.0	260	55	1	BD15984	037231159849
17.0	280	61	1	BD15986	037231159863
19.0	295	69	1	BD15988	037231159887
Metric (Short) (Tagged)					
.71	31	6	1	BD15847	037231158477
.89	31	9	1	BD15848	037231158484
1.27	42	13	1	BD15849	037231158491
1.5	44	14	1	BD15850	037231158507
2.0	49	16	1	BD15852	037231158521
2.5	54	17	1	BD15854	037231158545
3.0	61	19	1	BD15856	037231158569
3.5	65	21	1	BD15858	037231158583
4.0	68	22	1	BD15860	037231158606
4.5	73	25	1	BD15862	037231158620
5.0	78	27	1	BD15864	037231158644
5.5	83	29	1	BD15866	037231158668
6.0	88	31	1	BD15868	037231158682
7.0	93	33	1	BD15870	037231158705
8.0	98	35	1	BD15872	037231158729
9.0	102	37	1	BD15874	037231158743
10.0	109	39	1	BD15876	037231158767
11.0	115	42	1	BD15878	037231158781
12.0	122	42	1	BD15880	037231158804
14.0	136	55	1	BD15884	037231158842
17.0	156	61	1	BD15886	037231158866
19.0	175	69	1	BD15888	037231158880
Metric Sets					
9 Pce Set (Long): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD12199	037231121990
6 Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5mm			6	BD12246	037231122461
9 Pce Set (Short): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD12299	037231122997
10 Pce Wallet Set (Short): 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			10	BD00009	9314244000094

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
Imperial (Long) (Tagged)					
.028"	66	6	1	BD15900	037231159009
.035"	68	9	1	BD15901	037231159016
.050"	72	13	1	BD15902	037231159023
1/16"	76	14	1	BD15903	037231159030
5/64"	81	15	1	BD15904	037231159047
3/32"	86	16	1	BD15905	037231159054
7/64"	90	18	1	BD15906	037231159061
1/8"	95	19	1	BD15907	037231159078
9/64"	101	20	1	BD15908	037231159085
5/32"	107	21	1	BD15909	037231159092
3/16"	114	24	1	BD15910	037231159108
7/32"	124	26	1	BD15911	037231159115
1/4"	133	29	1	BD15912	037231159122
5/16"	152	32	1	BD15913	037231159139
3/8"	171	35	1	BD15914	037231159146
7/16"	191	38	1	BD15915	037231159153
1/2"	210	41	1	BD15916	037231159160
9/16"	229	44	1	BD15917	037231159177
5/8"	248	48	1	BD15918	037231159184
3/4"	286	54	1	BD15919	037231159191
Imperial (Long) (Packaged)					
7/8"	322	60	1	BD12120	037231121204
1"	359	67	1	BD12121	037231121211
Imperial (Short) (Tagged)					
.028"	31	6	1	BD15800	037231158002
.035"	31	9	1	BD15801	037231158019
.050"	42	13	1	BD15802	037231158026
1/16"	45	14	1	BD15803	037231158033
5/64"	48	15	1	BD15804	037231158040
3/32"	51	16	1	BD15805	037231158057
7/64"	54	18	1	BD15806	037231158064
1/8"	58	19	1	BD15807	037231158071
9/64"	61	20	1	BD15808	037231158088
5/32"	64	21	1	BD15809	037231158095
3/16"	70	24	1	BD15810	037231158101
7/32"	77	26	1	BD15811	037231158118
1/4"	83	29	1	BD15812	037231158125
5/16"	96	32	1	BD15813	037231158132
3/8"	108	35	1	BD15814	037231158149
7/16"	121	38	1	BD15815	037231158156
1/2"	133	41	1	BD15816	037231158163
9/16"	146	44	1	BD15817	037231158170
5/8"	159	48	1	BD15818	037231158187
3/4"	184	54	1	BD15819	037231158194
Imperial Sets					
13 Pce Set (Long): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD12137	037231121372
7 Pce Set (Short): 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"			7	BD12245	037231122454
13 Pce Set (Short): .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD12237	037231122379
10 Pce Wallet Set (Short): 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD00008	9314244000087


L-Wrenches TORX®



Fits all TORX® and Star screws.
Broad contact surface provides deep lobe engagement.
Straight, vertical sidewalls increase tool engagement
and virtually eliminates cam-out.



BD31834




TORX® Tips
Fits all TORX® and
Star screws



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel

TORX® and Star tip
Fits all TORX® and
Star screws



Environmentally
safe finish for
better corrosion
resistance and grip

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
T9	74	16	1	BD31809	037231318093
T10	80	19	1	BD31810	037231318109
T15	84	20	1	BD31815	037231318154
T20	91	20	1	BD31820	037231318208
T25	98	22	1	BD31825	037231318253
T27	106	24	1	BD31827	037231318277

Discount Group: Z1501

Size		Pieces	Item #	Barcode
T30	116	26	1	BD31830 037231318307
T40	125	28	1	BD31840 037231318406
Set				
8 Pce Set: T9, T10, T15, T20, T25, T27, T30, T40			8	BD31834 037231318345


L-Wrenches TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws.
Broad contact surface provides deep lobe engagement.
Straight, vertical sidewalls increase tool engagement
and virtually eliminates cam-out.



BD32434



Tamper Resistant TORX® Tips
Precision machined tips
transfer more torque
to the screw and
reduces stripping



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel

**Tamper Resistant TORX®
and Tamper Resistant
Star tips**
Fits all TORX® and Star
tamper resistant screws



Environmentally
safe finish for
better corrosion
resistance and grip

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
TR6	55	16	1	BD32406	037231324063
TR7	61	16	1	BD32407	037231324070
TR8	67	16	1	BD32408	037231324087
TR9	74	16	1	BD32409	037231324094
TR10	80	19	1	BD32410	037231324100
TR15	84	20	1	BD32415	037231324155
TR20	91	20	1	BD32420	037231324209
TR25	98	22	1	BD32425	037231324254

Discount Group: Z1501

Size	O/A Length	Arm Length	Pieces	Item #	Barcode
TR27	106	24	1	BD32427	037231324278
TR30	116	26	1	BD32430	037231324308
TR40	125	28	1	BD32440	037231324407
Set					
8 Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40			8	BD32434	037231324346

Multi-Packs L-Wrenches & GorillaGrip® Fold Up



Assembled from our most popular sets.

Multiple sets per package.

Tip selections include Ball End, Hex End and ProHold® Tip Ball End.

Ideal for mechanics and general purpose.



BD14187



BD14189




BD14130



BD20499



BD20199



BD22199

Discount Group: Z1501

Size	Pieces	Item #	Barcode
16 Pce Set: L-Wrench Ball End 1.5-10mm + Hex End GorillaGrip® (Item # BD10999) + Fold Up 2-8mm (Item # BD12587)	16	BD14187	037231141875
22 Pce Set: L-Wrench Ball End .050-3/8" (Item # BD10937) + Hex End GorillaGrip® Fold Up 5/64-1/4" (Item # BD12589)	22	BD14189	037231141899
34 Pce Set: L-Wrench Ball End .050-3/8" (Item # BD10937) + 1.5-10mm + Hex End GorillaGrip® (Item # BD10999) + Fold Up 5/64-5/32", 1.5-5mm (Item # BD12550)	34	BD14130	037231141301

Size	Pieces	Item #	Barcode
22 Pce Set: ProHold® L-Wrench Ball End .050-3/8" (Item # BD74937) + 1.5-10mm (Item # BD74999)	22	BD20499	037231204990
22 Pce Set: L-Wrench Ball End .050-3/8" (Item # BD10937) + 1.5-10mm (Item # BD10999)	22	BD20199	037231201999
22 Pce Set: L-Wrench Hex End .050-3/8" (Item # BD12137) + 1.5-10mm (Item # BD12199)	22	BD22199	037231221997

GorillaGrip® Fold Up Sets



Patented handle design makes every job faster and easier.
Durable GorillaGrip® handle is stronger than steel handles.
Tool user can adjust tool tension.



BD12638 BD12897 BD12591



Up to 20% stronger, with more torque and higher wear resistance than standard steel

Moulded in 90° stop converts the tool into a time saving speed wrench

Blades open up to 270° from handle. Moulded on stops then blades securely in place



Environmentally safe finish for better corrosion resistance and grip

Discount Group: Z1501

Size	Pieces	Item #	Barcode
TORX® GorillaGrip® Fold Up			
8 Pce Set: T6, T7, T8, T9, T10, T15, T20, T25	8	BD12632	037231126322
8 Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	8	BD12634	037231126346
Tamper Resistant TORX® GorillaGrip® Fold Up			
7 Pce Set: TR7, TR8, TR9, TR10, TR15, TR20, TR25	7	BD12636	037231126360
8 Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40	8	BD12638	037231126384
Ball End GorillaGrip® Fold Up			
5 Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD12894	037231128944
5 Pce Set: 5, 6, 7, 8, 10mm	5	BD12897	037231128975

Size	Pieces	Item #	Barcode
Hex End GorillaGrip® Fold Up			
7 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6mm	7	BD12592	037231125929
7 Pce Set: 2, 2.5, 3, 4, 5, 6, 8mm	7	BD12587	037231125875
6 Pce Set: 3, 4, 5, 6, 8, 10mm	6	BD12595	037231125950
9 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16"	9	BD12591	037231125912
9 Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	9	BD12589	037231125899
5 Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD12585	037231125851
12 Pce Set: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 1.5, 2, 2.5, 3, 4, 5mm	12	BD12550	037231125509

GorillaGrip® Fold Up Utility & Multi-Packs



Wide selection of tool tips.
World's strongest handle.
Speed-Wrench feature.
Tools open from both the top and bottom.
Moulded-in 90° stop.
Patented spacers between tools.



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip



BD12522



BD12544



BD12533

Discount Group: Z1501

Size	Pieces	Item #	Barcode
Utility GorillaGrip® Fold Up			
5 Pce Set: PH #1, Slotted 3/16", Hex 4, 5, 6mm	5	BD12540	037231125400

Size	Pieces	Item #	Barcode
Multi Pack GorillaGrip® Fold Up			
16 Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587)	16	BD12522	037231125226
15 Pce Set: 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	15	BD12544	037231125448
24 Pce Set: 5/64-1/4" (Item # 12589) + 2-8mm (Item # 12587) + T9-T40 (Item # 12634)	24	BD12533	037231125332

T-Handles Ball End




Solid steel handles.
Welded handle/blade connection.
Ergonomic handle design.
Flywheel effect saves time.
Smooth, non-porous handle coating.
Handle coating extends along blade.



BD13189

BD13190



Ball End Tips
25° working angle
for quick funnelling
into screw



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip



**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pieces	Item #	Barcode
Metric (Tagged)					
2.0	150	76	1	BD53252 [†]	037231532529
2.5	172	76	1	BD53254 [†]	037231532543
3.0	196	76	1	BD53256 [†]	037231532567
4.0	220	76	1	BD53160	037231531607
5.0	246	102	1	BD53164	037231531645
6.0	266	102	1	BD53168	037231531683
8.0	285	127	1	BD53172	037231531720
10.0	307	127	1	BD53176	037231531768
Metric Sets					
5 Pce Set: 4, 5, 6, 8, 10mm			5	BD13148	037231131487
8 Pce Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13187	037231131876
8 Pce Set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13189	037231131890

Size	O/A Length	Handle Length	Pieces	Item #	Barcode
Imperial (Tagged)					
3/32"	154	76	1	BD53205 [†]	037231532055
7/64"	173	76	1	BD53206 [†]	037231532062
1/8"	192	76	1	BD53207 [†]	037231532079
9/64"	211	76	1	BD53208 [†]	037231532086
5/32"	231	76	1	BD53109	037231531096
3/16"	250	102	1	BD53110	037231531102
7/32"	262	102	1	BD53111	037231531119
1/4"	275	102	1	BD53112	037231531126
5/16"	289	127	1	BD53113	037231531133
3/8"	300	127	1	BD53114	037231531140
Imperial Sets					
6 Pce Set: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			6	BD13146	037231131463
10 Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD13138	037231131388
10 Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD13190	037231131906

[†]Hex Tip

T-Handles Hex End




Solid steel handles.
Welded handle/blade connection.
Ergonomic handle design.
Flywheel effect saves time.
Smooth, non-porous handle coating.
Handle coating extends along blade.



BD13389

BD13390



Hex End Tips
Precision machined
for superior fit



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pieces	Item #	Barcode
Metric (Tagged) 229mm					
2.0	229	76	1	BD15352	037231153526
2.5	229	76	1	BD15354	037231153540
3.0	229	76	1	BD15356	037231153564
4.0	229	76	1	BD15360	037231153601
5.0	229	102	1	BD15364	037231153649
6.0	229	102	1	BD15368	037231153687
8.0	229	127	1	BD15372	037231153724
10.0	229	127	1	BD15376	037231153762
Set					
6 Pce Set: 2, 2.5, 3, 4, 5, 6mm			6	BD15348	037231153489
Metric (Tagged) 356mm					
3.0	356	76	1	BD16456	037231164560
4.0	356	76	1	BD16460	037231164607
5.0	356	102	1	BD16464	037231164645
6.0	356	102	1	BD16468	037231164683
8.0	356	127	1	BD16472	037231164720
Metric (Tagged) Graduated Length					
2.0	100	76	1	BD13352	037231133528
2.5	110	76	1	BD13354	037231133542
3.0	120	76	1	BD13356	037231133566
4.0	136	76	1	BD13360	037231133603
5.0	150	102	1	BD13364	037231133641
6.0	173	102	1	BD13368	037231133689
8.0	202	127	1	BD13372	037231133726
10.0	232	127	1	BD13376	037231133764

Size	O/A Length	Handle Length	Pieces	Item #	Barcode
Metric Sets					
8 Pce Set: 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13387	037231133870
8 Pce Set with Stand: 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD13389	037231133894
Imperial (Tagged)					
3/32"	105	76	1	BD13305	037231133054
7/64"	112	76	1	BD13306	037231133061
1/8"	118	76	1	BD13307	037231133078
9/64"	124	76	1	BD13308	037231133085
5/32"	132	76	1	BD13309	037231133092
3/16"	141	102	1	BD13310	037231133108
7/32"	154	102	1	BD13311	037231133115
1/4"	165	102	1	BD13312	037231133122
5/16"	189	127	1	BD13313	037231133139
3/8"	211	127	1	BD13314	037231133146
Imperial Sets					
8 Pce Set: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"			8	BD13332	037231133320
10 Pce Set with Stand: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			10	BD13390	037231133900


T-Handles TORX®



Fits all TORX® and Star screws.
Solid steel handles.
Welded handle/blade connection.
Ergonomic handle design.
Flywheel effect saves time.
Smooth, non-porous handle coating.



BD33034



TORX® Tips
Fits all TORX® and
Star screws



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501


Size	O/A Length	Handle Length	Pieces	Item #	Barcode
Single					
T40	199	102	1	BD33040	037231330408

Size	Pieces	Item #	Barcode
Set			
8 Pce Set: T9, T10, T15, T20, T25, T27, T30, T40	8	BD33034	037231330347

T-Handles ProHold® TORX®



Fits all TORX® and Star screws.
Holds screw tight on the tool every time.
Button is non-magnetic.
Welded handle/blade connection.



ProHold® Tips
Holds screw tight on
the tool every time



Up to 20% stronger, with
more torque and higher wear
resistance than standard steel



Environmentally
safe finish for
better corrosion
resistance and grip

**Sizes Printed
On Handles**
For easy and
quick section

Ergonomic Handle
Welded directly to
blade for durable and
comfortable grip

Discount Group: Z1501

Size	O/A Length	Handle Length	Pieces	Item #	Barcode
TR9	155	76	1	BD74009	037231740092
TR10	161	76	1	BD74010	037231740108
TR15	168	76	1	BD74015	037231740153
TR20	174	76	1	BD74020	037231740207

Size	O/A Length	Handle Length	Pieces	Item #	Barcode
TR25	180	76	1	BD74025	037231740252
TR27	187	102	1	BD74027	037231740276
TR30	193	102	1	BD74030	037231740306


Screwdrivers Ball End



Ball End inserts into screw at a 25° angle.
Ergonomic non-slip grip handle design.
Two component handle with tough inner core and cushioned rubber exterior.
Anti-roll design.



BD10699



Ball End Tips
25° working angle for quick funnelling into screw



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Non-Slip Grip

Generates maximum torque even when wet or oily



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque

Size	O/A Length	Shank Length	Pieces	Item #	Barcode
Metric (Long) (Packaged)					
2.0	157	102	1	BD10752	037231107529
2.5	171	110	1	BD10754	037231107543
3.0	247	158	1	BD10756	037231107567
4.0	288	179	1	BD10760	037231107604
5.0	308	198	1	BD10764	037231107642
6.0	341	218	1	BD10768	037231107680
8.0	360	237	1	BD10772	037231107727
10.0	382	259	1	BD10776	037231107765
Metric (Standard) (Tagged)					
1.5	120	66	1	BD40650	037231406509
2.0	127	72	1	BD40652	037231406523
2.5	130	69	1	BD40654	037231406547
3.0	171	83	1	BD40656	037231406561
4.0	205	98	1	BD40660	037231406608
5.0	219	109	1	BD40664	037231406646
6.0	260	137	1	BD40668	037231406684
8.0	298	175	1	BD40672	037231406721
10.0	307	184	1	BD40676	037231406769
Metric Sets					
6 Pce Set: 1.5, 2, 2.5, 3, 4, 5mm			6	BD10686	037231106867
9 Pce Set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm			9	BD10699	037231106997
8 Pce Set (Long): 2, 2.5, 3, 4, 5, 6, 8, 10mm			8	BD10733	037231107338


Size	O/A Length	Shank Length	Pieces	Item #	Barcode
Imperial (Standard) (Tagged)					
.050"	104	60	1	BD40602	037231406028
1/16"	118	64	1	BD40603	037231406035
5/64"	122	67	1	BD40604	037231406042
3/32"	132	71	1	BD40605	037231406059
7/64"	136	74	1	BD40606	037231406066
1/8"	168	80	1	BD40607	037231406073
9/64"	171	83	1	BD40608	037231406080
5/32"	201	91	1	BD40609	037231406097
3/16"	204	94	1	BD40610	037231406103
7/32"	230	107	1	BD40611	037231406110
1/4"	249	126	1	BD40612	037231406127
5/16"	265	142	1	BD40613	037231406134
3/8"	287	164	1	BD40614	037231406141
Imperial Set					
13 Pce Set: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"			13	BD10637	037231106379

Discount Group: Z1501

Screwdrivers TORX® Tamper Resistant



Fits all TORX® and Star tamper resistant screws.
Burr free tool tips help tools seat fully in screw head.
Precision machined tips transfer more torque to the screw and reduces stripping.



Tamper Resistant TORX® Tips
Precision machined tips transfer more torque to the screw and reduces stripping



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip

Non-Slip Grip

Generates maximum torque even when wet or oily



Durable thermoplastic core wrapped in cushioned rubber for increased comfort and torque

Size	O/A Length	Shank Length	Pieces	Item #	Barcode
TR6	163	108	1	BD33806	037231338060
TR7	169	114	1	BD33807	037231338077
TR8	182	121	1	BD33808	037231338084
TR9	186	124	1	BD33809	037231338091
TR10	189	128	1	BD33810	037231338107
TR15	219	131	1	BD33815	037231338152
TR20	248	138	1	BD33820	037231338206
TR25	253	144	1	BD33825	037231338251
TR27	270	147	1	BD33827	037231338275

Size	O/A Length	Shank Length	Pieces	Item #	Barcode
TR30	276	153	1	BD33830	037231338305
TR40	282	159	1	BD33840	037231338404
Sets					
8 Pce Set: TR9, TR10, TR15, TR20, TR25, TR27, TR30, TR40			8	BD33834	037231338343

Discount Group: Z1501

Wing & Flag Tool TORX®




Fits all TORX® and TORX PLUS® screws.
Fits all Star and Star Plus screws.
ComfortGrip Handles – soft rubber outer coating for maximum comfort and grip.
Broad contact surface provides deep lobe engagement.
Straight, vertical sidewalls increase tool engagement and virtually eliminates cam-out.



BD34445



BD34745



Multi-Fit
Fits all TORX® and TORX Plus®, Star and Star Plus screws



Soft rubber outer coating for maximum comfort and grip



Discount Group: Z1501

Sizes	Pieces	Item #	Barcode
7 Pce TORX® Flag Tools Set: T6, T7, T8, T9, T10, T15, T20	7	BD34445	037231344450

Sizes	Pieces	Item #	Barcode
7 Pce TORX® Wing Tools Set: T6, T7, T8, T9, T10, T15, T20	7	BD34745	037231347451

Hex Pro TORX® & Hex Tip



Fits Inch and Metric Hex, TORX®, and Star screws.
Heat treated high quality industrial tool steel.
Long handles for extra reach.
Matte chrome finish to prevent corrosion.



BD00055




BD00040



BD00051

Pivot Head
Hex and Star wrenches allow users to pivot around obstacles without removing tool

Engineered Joints
Joint are made as small as possible without weakening the tool



Patented Forged Hinge Design
Simple, effective with fewer pieces design make Pivot Head Hex and Star wrenches stronger than competitors

Discount Group: Z1501


Size	Pieces	Item #	Barcode
Hex Tip			
Metric			
4.0	1	BD88760	855782887604
5.0	1	BD88764	855782887642
6.0	1	BD88768	855782887680
8.0	1	BD88772	855782887727
10.0	1	BD88776	855782887765
Imperial			
3/16"	1	BD88710	855782887109
7/32"	1	BD88711	855782887116
1/4"	1	BD88712	855782887123
5/16"	1	BD88713	855782887130
3/8"	1	BD88714	855782887147

Size	Pieces	Item #	Barcode
Torx Tip			
T25	1	BD88725	855782887253
T30	1	BD88730	855782887307
T40	1	BD88740	855782887406
T45	1	BD88745	855782887451
T50	1	BD88750	855782887505
Sets			
5 Pce Set: T25, T30, T40, T45, T50	5	BD00055	855782000553
5 Pce Set: 3/16, 7/32, 1/4, 5/16, 3/8"	5	BD00040	855782000409
5 Pce Set: 4, 5, 6, 8, 10mm	5	BD00051	855782000515

Socket Bits Hex End



Bits fit any standard six point socket.
Bits are suitable for use with impact sockets.
Chamfered tool tips eliminate burrs and help tools seat in screw head.
Sharp corners transfer more torque to the screw and reduce stripping.
Precision machined for ease of use and superior fit.



Hex End Tips
Precision machined for superior fit



Up to 20% stronger, with more torque and higher wear resistance than standard steel



Environmentally safe finish for better corrosion resistance and grip



Discount Group: Z1501

Sizes	Drive	Item #	Barcode
Socket & Bits			
19mm Prohold Hex Bit 6" inch, 1/2" SKT	1/2"	BD43688	037231436889

Power Bits Ball End



Fits all 1/4" drive bit holders.
Ball End inserts into a screw at a 25° angle.
Ball End saves time by quickly funnelling tool into screw.
Superior Ball End strength and working angle.
Works in hard to reach places.




Up to 20% stronger, with more torque and higher wear resistance than standard steel

1/4" Hex Shank
Suitable for impact drivers



Environmentally safe finish for better corrosion resistance and grip



Ball End Tips
25° working angle for quick funnelling into screw



BD10868

Discount Group: Z1501

Sizes	O/A Length	Item #	Barcode
Metric	mm		
2.0	76	BD10852	037231108526
2.5	76	BD10854	037231108540
3.0	76	BD10856	037231108564
4.0	76	BD10860	037231108601
5.0	76	BD10864	037231108649

Sizes	O/A Length	Item #	Barcode
Metric	mm		
6.0	76	BD10868	037231108687
8.0	76	BD10872	037231108724
10.0	76	BD10876	037231108762
12.0	76	BD10880	037231108809



QUALITY HEX KEYS

Proudly distributed by

suttontools SINCE 1917

