



SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 23.01.2018

Revision: 23.01.2018

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: CARBON DIOXIDE
Part Number: 216012

Recommended Use of the Chemical and Restriction on Use:

Food additive to charge/refrigerate drinks with gas, CO2 enrichment in aquariums, technical gas - industrial use.

Details of Manufacturer or Importer:

Sutton Tools (NZ) Ltd
80A Hunua Road,
Papakura, Auckland, NZ, 2110

Phone Number: +64 9 295 0135

Emergency telephone number: +64 21 923 509

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001. Classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2007 Transport of Dangerous Goods on Land.



gas cylinder

Press. Gas C H280 Contains gas under pressure; may explode if heated.

Signal Word Warning

Hazard Statements

H280 Contains gas under pressure; may explode if heated.

Precautionary Statements

P410+P403 Protect from sunlight. Store in a well-ventilated place.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

124-38-9	Carbon dioxide		Press. Gas C, H280	≥99.99%
----------	----------------	--	--------------------	---------

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. In case of lesions due to low temperature, do not rub the skin or break blisters. Place the effected body parts in lukewarm water. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

(Contd. on page 2)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 23.01.2018

Revision: 23.01.2018

Product Name: CARBON DIOXIDE

(Contd. of page 1)

Ingestion:

Ingestion is not considered a potential route of exposure.

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: Low concentrations may cause rapid breathing, cyanosis and narcotic effects including dizziness, headaches, nausea, vomiting and incoordination. May cause asphyxiation in high concentrations. Symptoms may include loss of mobility and unconsciousness. Victims may not be aware of asphyxiation.

Skin Contact: Contact with skin may cause cold burns.

Eye Contact: Contact with eyes may cause cold burns.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Use fire extinguishing methods suitable to surrounding conditions.

Specific Hazards Arising from the Chemical:

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Not required.

Wear approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up: Ensure adequate ventilation.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Protect from sunlight. Do not expose to temperatures exceeding 50°C. Ensure adequate ventilation. Keep away from ammonia and amines. Take care when handling containers to avoid physical damage to the cylinder. Do not allow backfeed into the cylinder. Do not allow suck back of water into the cylinder. Do not completely empty the cylinder.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:**124-38-9 Carbon dioxide**

WES	STEL: 54000 mg/m ³ , 30000 ppm TWA: 9000 mg/m ³ , 5000 ppm
-----	---

(Contd. on page 3)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 23.01.2018

Revision: 23.01.2018

Product Name: CARBON DIOXIDE

(Contd. of page 2)

Engineering Controls:

Maintain air concentration below occupational exposure standards, providing adequate ventilation.

Respiratory Protection:

Use a approved respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Leather, wool or aramid blend gauntlets. See Australian/New Zealand Standard AS/NZS 2161 for more information.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against gas. See Australian/New Zealand Standard AS/NZS 1337.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Compressed gas
Colour:	Colourless
Odour:	Odourless
Odour Threshold:	No information available
pH-Value:	3.7 (for carbonic acid)
Melting point/freezing point:	-78.5 °C (sublimation point)
Initial Boiling Point/Boiling Range:	-78.5 °C (sublimation point)
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 20 °C:	57300 hPa
Relative Density:	1.03
Vapour Density:	1.52
Evaporation Rate:	No information available
Solubility in Water at 15 °C:	2000 mg/L (at 1.013 bar)
Partition Coefficient (n-octanol/water):	Not applicable
Viscosity:	Not applicable

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Extreme temperatures.

Incompatible Materials: This product may react with some substances, such as ammonia or amines.

Hazardous Decomposition Products: No hazardous decomposition products known.

(Contd. on page 4)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 23.01.2018

Revision: 23.01.2018

Product Name: CARBON DIOXIDE

(Contd. of page 3)

11 . TOXICOLOGICAL INFORMATION

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:** No information available**Acute Health Effects****Inhalation:**

Low concentrations may cause rapid breathing, cyanosis and narcotic effects including dizziness, headaches, nausea, vomiting and incoordination. May cause asphyxiation in high concentrations. Symptoms may include loss of mobility and unconsciousness. Victims may not be aware of asphyxiation.

Skin: Contact with skin may cause cold burns.**Eye:** Contact with eyes may cause cold burns.**Ingestion:** Ingestion is not considered a potential route of exposure.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No information available**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

Concentrations of 5000 ppm in air can cause health problems after 8 hours of exposure. 15000 ppm can cause problems in 10 minutes.

concentrations greater than 20000 ppm can cause headaches and loss of concentration. Concentrations greater than 10 % in air can cause asphyxiation and respiratory paralysis. Higher concentrations of carbon dioxide can cause immediate loss of consciousness and death.

12 . ECOLOGICAL INFORMATION

Ecotoxicity:**Aquatic toxicity:** No information available**Persistence and Degradability:** No information available**Bioaccumulative Potential:** This product has a low bioaccumulative potential.**Mobility in Soil:** No information available**Other adverse effects:** Carbon dioxide is a major contributor to the greenhouse effect.

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

(Contd. on page 5)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 23.01.2018

Revision: 23.01.2018

Product Name: CARBON DIOXIDE

(Contd. of page 4)

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION**UN Number****NZS 5433** UN1013**IMDG, IATA** UN1013**Proper Shipping Name****NZS 5433** CARBON DIOXIDE**IMDG, IATA** CARBON DIOXIDE**Dangerous Goods Class****NZS 5433** 2.2**IMDG Class:** 2.2**Packing Group:****NZS 5433** Not applicable**IMDG, IATA** Not applicable**EMS Number:** F-C,S-V**Hazchem Code:** 2T**Limited Quantities:** 500 ml**Excepted quantities (EQ)** E1**15 . REGULATORY INFORMATION****HSNO Approval Code / Group Standard:** Carbon dioxide: HSR001018**New Zealand Inventory of Chemicals**

All ingredients are listed.

16 . OTHER INFORMATION**Date of Preparation or Last Revision:** 23.01.2018**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

WES: Workplace Exposure Standard

Press. Gas C: Gases under pressure – Compressed gas

DisclaimerThis SDS is prepared in accord with the New Zealand Chemical Industry Council document 'Code of Practice (No. HSNO CoP 8-1 09-06)'.
The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Sutton Tools (NZ) Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as

(Contd. on page 6)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 23.01.2018

Revision: 23.01.2018

Product Name: CARBON DIOXIDE

(Contd. of page 5)
to the suitability of the information provided to the particular circumstances in which the product is used.